

## Лист тех. данных

## 3NJ4915-1FA10

принадлежность для 3NJ41, реечных предохранителей-разъединителей разм. NH00 встраиваемые трансформаторы тока 150/1A, кл. 0,5



| версия                                  |                                                                            |       |
|-----------------------------------------|----------------------------------------------------------------------------|-------|
| торговая марка изделия                  | SENTRON                                                                    |       |
| наименование изделия                    | Трансформатор тока                                                         |       |
| исполнение изделия                      | принадлежность для предохранитель-выключатель нагрузки-разъединитель 3NJ41 |       |
| класс защиты                            |                                                                            |       |
| степень защиты IP                       | IP20                                                                       |       |
| Механическая конструкция                |                                                                            |       |
| высота                                  | 60 mm                                                                      |       |
| ширина                                  | 46 mm                                                                      |       |
| глубина                                 | 19 mm                                                                      |       |
| масса нетто                             | 240 g                                                                      |       |
| условия окружающей среды                |                                                                            |       |
| окружающая температура при эксплуатации |                                                                            |       |
| • мин.                                  | -10 °C                                                                     |       |
| • макс.                                 | 55 °C                                                                      |       |
| General Product Approval                | Declaration of Conformity                                                  | other |

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

## Дополнительная информация

### Информация об упаковке

#### [Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NJ4915-1FA10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3NJ4915-1FA10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NJ4915-1FA10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ4915-1FA10)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



