

## Лист тех. данных

**3VL9563-6UL30**

ETU VL630, 3-pole, line protection LCD ETU42, LSIG 3 phases/3 lines  
IR=252...630A, overload protection, ISD=1.5 to 9xIR, II=10xIN short-circuit  
protection screw terminal connections in scope of delivery of switching unit



|                          |                        |                           |
|--------------------------|------------------------|---------------------------|
| версия                   |                        |                           |
| торговая марка изделия   | SENTRON                |                           |
| наименование изделия     | расцепитель макс. тока |                           |
| Механическая конструкция |                        |                           |
| масса нетто              | 2,01 kg                |                           |
| General Product Approval | EMC                    | Declaration of Conformity |

[Miscellaneous](#)

[Confirmation](#)



| Test Certificates | Marine / Shipping | other |
|-------------------|-------------------|-------|
|-------------------|-------------------|-------|

[Special Test Certificate](#)



[Miscellaneous](#)

[Confirmation](#)

## Environment

[Environmental Confirmations](#)

## Дополнительная информация

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VL9563-6UL30>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3VL9563-6UL30>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VL9563-6UL30](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VL9563-6UL30)

CAX-Online-Generator

<http://www.siemens.com/cax>

**Tender specifications**  
<http://www.siemens.com/specifications>



