

## Лист тех. данных

## 3VL9680-6TH40



ETU VL800, 4-pole, line protection ETU22, LSIG IR=320...800A, overload protection, ISD=1.5 to 7 xIR, II=8 xIN short-circuit protection, N protected screw terminal connections in scope of delivery of switching unit

| версия                 |                                                                    |
|------------------------|--------------------------------------------------------------------|
| торговая марка изделия | SENTRON                                                            |
| наименование изделия   | расцепитель макс. тока                                             |
| исполнение изделия     | 4-пол., защита установок и генераторов, ETU20, LSI, IR = 320–800 A |

| Механическая конструкция |                               |
|--------------------------|-------------------------------|
| масса нетто              | 2,58 kg                       |
| General Product Approval | EMC Declaration of Conformity |

[Miscellaneous](#)

[Confirmation](#)



| Test Certificates | Marine / Shipping | other |
|-------------------|-------------------|-------|
|-------------------|-------------------|-------|

[Special Test Certificate](#)



[Confirmation](#)

[Miscellaneous](#)

| Environment |
|-------------|
|-------------|

[Environmental Confirmations](#)

## Дополнительная информация

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VL9680-6TH40>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3VL9680-6TH40>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VL9680-6TH40](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VL9680-6TH40)

CAX-Online-Generator

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



